

Annexes iPS line: G15.AO

Annex 1: Morphology and AP staining.

Annex 2: FACS analysis.

Annex 3: Immunofluorescence analysis.

Annex 4: Exogenous transcription factor silencing.

Annex 5: CGH analysis.

Annex 6: Teratoma.





cima

CENTRO DE INVESTIGACIÓN MÉDICA APLICADA
UNIVERSIDAD DE NAVARRA

Annex 1


Morphology and Alkaline phosphatase staining



Passage 15. iPS G15.AO


Annex 2

Expression of pluripotency markers by FACS



Immunofluorescence of pluripotency associated markers TRA1-60 and SSEA-4 in G15.AO iPS at passage 17.

Annex 3 Expression of pluripotency markers by IF



Immunofluorescence of pluripotency associated markers Nanog, Oct4, Sox2 and TRA1-81 in G15.AO iPS at passage 17.




cima

CENTRO DE INVESTIGACIÓN MÉDICA APLICADA
UNIVERSIDAD DE NAVARRA


Annex 4

Silencing of exogenous factors



Passage 5 and 30. iPS G15.AO

Annex 5 CGH analysis



Passage 25. iPS G15.AO




cima


CENTRO DE INVESTIGACIÓN MÉDICA APLICADA
UNIVERSIDAD DE NAVARRA

Annex 6

In vivo differentiation. Teratoma formation



Izquierda: Tejido epitelial pseudoestratificado semejante al de la traquea. HE. 400x.
Derecha: Tejido cartilaginoso y formaciones epiteliales indiferenciadas. HE. 100x.



Izquierda: Combinación de tejidos glandulares, conjuntivo laxo y cartilaginoso. H. E. X 200.
Derecha: Pieza cartilaginosa con un acino epitelial y pequeñas formaciones de músculo estriado entre el tejido conjuntivo. T. de Gallego. X 200.

Passage 21. iPS G15.AO